

BUILDING PERMIT APPLICATION (PLEASE PRINT)

(PLEASE PRINT)							
Street Address	Aı	ot. or Tenant Add	lress	City and State		Zip	
Subdivision	Lot Num	ber	Parcel Number Zonin		Zoning District		Construction Est. Value \$
Public Water: Yes / No *REQUIRED	Public Se *REQUIR	ewer: Yes/No	*REQUIRED *REQUIRED *REQUIRED			*REQUIRED- DO NOT INCLUDE PLUMBING, MECHANICAL, OR ELECTRICAL COST	
Property Owner:							
Tenant:							
Address:		Cell Phon	ne:		E-mail:		
Contractor:			State	Contractor Lic.	No:		
Address:Office Phone:		Cell Phon	e:		E-mail:		
Please note: 1. All contractors are to supply a certificate of insurance providing evidence of statutory Workers Compensation Insurance and Commercial General Liability Insurance with a minimum limit of \$1,000,000 per occurrence. Doylestown Township, its elected and appointed officials, and employees shall be named additional insured under the contractor's General Liability Insurance policy. 2. Check the Township website to follow the permit application guidelines. TYPE OF RESIDENTIAL BUILDING PERMIT (Please check one:)							
☐ Accessory Bldg (Over	r 1000 sq.	ft) \square De	molition/Tank	Removal	☐ Swim	ming P	ool
☐ New Residential Dwe	lling	□ Ext	terior Alteratio	ns/Additions	☐ Interi	or Alter	rations
☐ HUD Manufactured H	Iome	□ De	ck- Above gra	de 30 inches or n	nore Const	ruction	within a Floodplain
*REQUIRED- For all ne	w resident	tial construction,	additions or re	novations comp	lete the Energy F	Efficien	cy Worksheet. 🗸 🗆
OR							
TYPE OF COMMERCIAL BUILDING PERMIT (Please check one:)							
☐ Additions	☐ Exterior Alterations ☐ New Construction ☐ Re-Roofing					e-Roofing	
☐ Alarm/FM 200 System	n 🗆	☐ Interior Alterations ☐ Tank Removal					
☐ Demolition: The Township requires a copy of the DEP Asbestos Abatement Permit							
DESCRIPTION OF PROPOSED CONSTRUCTION							

Revised 10/14/2025			Permit #
PLEASE NOTE: The pr	roperty owner(s) must sign this ap	plication to verify the contract	or or tenant has permission from the
			Two copies of a site plan with two
copies of the appropriate	construction documents must acco	mpany this application. In add	lition, a digital copy must be included
for all new subdivision or	amended site plans.		
application and attached sub-trad		ministrative warrant, to inspect and verify	access the above property as stated within this y that any proposed use and/or structure contained ing code ordinances.
agreed to by the applicant and pro- lines is the sole responsibility of standards of any Township road application by the applicant(s) an part of the public record. The ap- may be revoked. Furthermore, the	operty owner that the Township office is not re f the property owner and applicant. The appli or infrastructure which is damaged during the ad property owner(s) is true and correct to the b oplicant warrants the truthfulness of the inform	sponsible for any property dimensions sho cant and property owner also agree they building of the permitted structure and the sest of their knowledge or belief, and all in ation in the application, and that if any of	signed. Furthermore, it is clearly understood and own on the site plan and establishment of property are responsible for the replacement to Township understands that the information provided on this information contained in their application becomes f the information provided is incorrect, the permit sed on misinformation or an improper application
			e a Certificate of Occupancy can be issued. er has authorized work and inspection of that
Date:	_ Signature of Applicant(s)		
	Print Applicant(s) Name(s)		
Date:	_ Signature of Property Owner(s)		(Required)
	Print Property Owner(s) Name(s)		(Required)

FOR DETAILS OF THE GREEN POINTS INITIATIVE & TO PRINT AN APPLICATION:

https://doylestownpa.org/departments/code-and-zoning/permit-applications-and-guidelines/

REQUIRED: Does the applicant intend to apply for a Green Points Initiative Rebate BEFORE final inspection of this project? (You must check one) ✓ □ YES \square NO

APPLICATION GUIDELINES:

- At project completion, a digital copy of the site plan and of the as-built are required.
- Application forms are also available from the Township Website: www.doylestownpa.org
- General Contractor on permit is required to submit sub-contractor contact information and insurance details.

Residential:

- 1. Construction drawings, if not signed by an architect or engineer, must have each page signed and dated by the property owner and state that the code followed is the PA UCC.
- 2. For new dwelling unit construction, follow the "New Home Construction Application Guidelines" found on the Township Website under Permit Applications & Guidelines.
- 3. New construction, including additions, requires an energy statement be enclosed with the application (e.g., REScheck) or a statement that the PA Alternative energy provisions will be used.
- 4. In addition to the building permit application, grading, plumbing, mechanical, electrical, zoning and highway occupancy permit applications may be required as appropriate and are to be submitted at the same time. PARTIAL OR INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED.
- 5. For increases in impervious coverage between 1001 and 5000 sq. ft. follow Township Code Ch. 148 Appendix I and include the details of stormwater mitigation with your application.

Commercial:

- 1. All commercial construction documents are required to indicate that construction will comply with the requirements of the PA UCC and be signed and sealed by a PA architect or engineer.
- 2. Subcontractor applications, including plumbing, mechanical, electrical, sprinkler, alarm and road occupancy to be submitted at the same time as the building permit application. PARTIAL OR INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED.
- 3. Include copies of other required applications/permits as appropriate (e.g. DEP asbestos abatement, COMcheck, PENNDOT highway occupancy permit, PA One Call, sewer, water, State licensing agency, etc.)
- 4. Follow "Accessibility Plan Review Requirements" found on the Township Website under Permit Applications & Guidelines.

WORK SHEET FOR A SITE PLAN

Provide 2 copies of all plans submitted

SITE INFORMATION					
Water Service: ☐ Public	☐ Private	Sewer Service:	☐ Public ☐ Private		
PROPERTY ADDRESS:					
	SITE 1	PLAN			

Include Two (2) Copies of this Site Plan with your application SCALE = 1 inch _____ FEET

Revised 10/14/2025 Permit #______

IMPERVIOUS COVERAGE

THIS CALCULATION IS REQUIRED FOR ALL PERMITS THAT WILL RESULT IN ADDITIONAL GROUND BEING COVERED: SHEDS, ADDITIONS & PATIOS, ETC.

Street Address		Apt. or Tenant Address		City and State		Zip	
Subdivision	Lot N	Jumber	Parcel Numb	per	Zoning District		Permitted Impervious %

DEFINITIONS

IMPERVIOUS SURFACE – Any surface which does not absorb rain; all buildings, parking areas, driveways, roads, sidewalks and any areas in concrete, asphalt, packed stone, pavers on sand or other equivalent surfaces. In addition, other areas determined by the Township Engineer to be impervious within the meaning of this definition shall also be classified as impervious. For purposes of this definition the areas of a swimming pool or pond located inside the coping shall be classified as impervious.

NET BUILDABLE SITE AREA – Net buildable site area is calculated for the purpose of determining allowable impervious surface and land permitted to be developed. Net buildable site area equals total lot area contained in the subdivision or land development application:

- (a) Minus ultimate rights-of-way of existing streets;
- (b) Minus land which is not contiguous or which is separated from the site by a road or railroad;
- (c) Minus land shown on previous subdivision or land development plans as reserved for open space or other uses which restrict it from development;
- (d) Minus all land restricted by easements or covenants; and
- (e) Minus land required to be left open for resource protection or to meet minimum open space requirements of this chapter.

IMPERVIOUS SURFACE RATIO – The total area of all impervious surfaces divided by the net buildable site area.

IMPERVIOUS SURFACE PERMITTED TO BE DEVELOPED

This table for properties regulated by perce impervious	<u>entage</u>	This table for properties regulated by square footage		
		impervious		
Lot Size (Note: 1 Acre = 43560 sq. ft.)	(sq. ft.)	Maximum permitted impervious sq. ft.	(sq. ft.)	
Driveway	(sq. ft.)	Driveway	(sq. ft.)	
Walkway	(sq. ft.)	Walkway	(sq. ft.)	
Buildings	(sq. ft.)	Buildings	(sq. ft.)	
Patio/Pool	(sq. ft.)	Patio/Pool	(sq. ft.)	
Easements/Other	(sq. ft.)	Easements/Other	(sq. ft.)	
Total Existing Impervious	(sq. ft.)	Total Existing Impervious	(sq. ft.)	
Proposed Construction	(sq. ft.)	Proposed Additional sq. ft impervious	(sq. ft.)	
Total:	(sq. ft.)	New Total Sq. Ft. Impervious:	(sq. ft.)	

(FOR USE BY DOYLESTOWN TOWNSHIP)

IMPERVIOUS COVERAGE				
Total Impervious Surface	Proposed %	Proposed Sq. Ft.		
	Allowed %	Allowed Sq. Ft.		

^{**} For increases in impervious coverage between 1001 and 5000 sq. ft. follow Township Code Ch. 148 Appendix I and include the details of stormwater mitigation with your application.

Revised 10/14/2025 Permit #______



CHANGE OF CONTRACTOR / SUBCONTRACTOR

As per the Pennsylvania Workers Compensation Insurance regulation, all contractors/subcontractors are required to provide proof of Workers Compensation and Liability Insurance. For any changes in contractor/subcontractor, please provide a liability insurance certificate naming Doylestown Township as additional insured in addition to the Worker's Compensation insurance certificate.

•				•		
Job Location:			Permit No:			
		Contracto	r leaving t	he ich		
Contractor:		Contracto	i teaving t	ne job.	1	
Contractor						
City, State,	Zip:					
Phone:			Fax:	<u> </u>		
E-Mail:		1	State	Contra	ctor License No.	
Trade (If ot	her than genera	al contractor):				
		New contracto	or taking t	heir pl	ace:	
Contractor:		TYCH CONTINUES		е р		
Contractor						
City, State,						
Phone:	, , , , , , , , , , , , , , , , , , ,		Fax:			
E-Mail:				Contra	ctor License No.	
Trade (If ot	her than genera	al contractor):				
		·				
		Signatı	ures Requ	ired		
Property Ov	vner or	Print Name:			Date:	

Date:

Individual Responsible for

General Contractor:

Sign:

Sign:

Print Name:

Property

Revised 10/14/2025 Permit #_____

Don't Let Storm Water Run Off With Your Time and Money!

Whatthe Construction Industry Should Know About Storm Water In Our Community

The construction industry plays an important role in improving our community's quality of life by not only providing new development, but also protecting our streams and rivers through smart business practices that prevent pollution from leaving construction sites.

Storm water runoff leaving construction sites can carry pollutants such as dirt, construction debris, oil, and paint off-site and into storm drains. In our community, storm drains carry storm water runoff directly to local creeks, streams, and rivers with no treatment. Developers, contractors, and homebuilders can help to prevent storm water pollution by taking the following steps:

- 1. Comply with storm water permit requirements.
- 2. Practice erosion control and pollution prevention practices to keep construction sites "clean."
- 3. Conduct advanced planning and training to ensure proper implementation on-site.

The remainder of this fact sheet addresses these three steps.

Storm Water Permit Requirements for Construction Activity

Planning and permitting requirements exist for construction activities. These requirements are intended to minimize storm water pollutants leaving construction sites.

- Pennsylvania's Erosion and Sediment Pollution Control Program (25 Pa. Code, Chapter 102) requires Erosion and Sediment Control Plans for all earth disturbing activities.
- The National Pollutant Discharge Elimination System (NPDES)
 Permit Program (25 Pa. Code, Chapter 92) requires that
 construction activities disturbing greater than one acre submit a
 Notice of Intent for coverage under a general NPDES permit.



What is Storm Water?

precipitation that flows across the

rains or when snow and ice melt. The water seeps into the ground

or drains into what are commonly

called storm sewers. These are the

drains you see at street corners or

Collectively, the draining water is called storm water runoff.

at low points on the sides of

Storm water is water from

ground and pavement when it

Knowing your requirements before starting a project and following them during construction can save you time and money, and demonstrate that you are a partner in improving our community's quality of life. For more information about these programs, contact your local county conservation district office or the Department of Environmental Protection.

Erosion Control Practices:

- Perimeter controls (e.g. siltfence)
- Sediment traps
- Immediate revegetation
- Phased, minimized grading
- Construction entrance
- Protection of streams and drainage ways
- Inlet protection



An Ounce of Prevention

Rain that falls onto construction sites is likely to carry away soil particles and other toxic chemicals present on construction sites (oil, grease, hazardous wastes, fuel). Storm water, if not properly managed, carries these pollutants to streams, rivers, and lakes. Erosion and sediment control practices can serve as a first line of defense,

9	rm	it	#	

Pollution Prevention Practices:

- Designated fueling and vehicle maintenance area away from streams.
- Remove trash and litter.
- Clean up leaks immediately.
- Never wash down dirty pavement.
- Place dumpsters under cover.
- Dispose of all wastes properly.

minimizing clean up and maintenance costs, and the impacts to water resources caused by soil erosion during active construction. Erosion controls can reduce the volume of soil going into a sediment control device, such as a sediment trap, therefore, "clean out" frequencies are lower and maintenance costs are less. When possible, divert water around the construction site using berms or drainage ditches.

In addition, use pollution prevention and "good housekeeping measures" to reduce the pollution leaving construction sites as well. This can be as simple as minimizing the pollution source's contact with rainwater by covering it, maintaining a "clean site" by reducing trash and waste, and keeping vehicles well maintained.

The Best Laid Plans

Plans such as erosion and sediment control plans and storm water pollution prevention plans are important tools for outlining the erosion control and pollution prevention practices that you will use to manage storm water runoff prior to breaking ground. Developing good plans allows for proper budgeting and planning for the life of the project. Proper installation and maintenance of erosion and storm water controls is essential to a plan that works. Training for on-site staff helps to ensure the proper installation and maintenance of erosion controls and pollution prevention practices. Inspect controls and management techniques regularly to ensure they are working, especially after storm events. If polluted storm water is leaving the site, you may need to repair or add additional storm water controls.



The Bigger Storm WaterPicture

Your community is preventing storm water pollution through a comprehensive storm water management program. This program addresses storm water pollution from construction, but it also deals with new development, illegal dumping to the storm sewer system, and municipal operations. It will also continue to educate the community and get everyone involved in making sure the only thing that storm water contributes to our streams is . . . water! Contact your community or the Pennsylvania Department of Environmental Protection for more information about storm water management.

For more information:

Pennsylvania Association of Conservation District's: http://www.pacd.org/default.html

Pennsylvania Handbook of Best Management Practices for Developing Areas: http://www.pacd.org/products/bmp/bmp_handbook.html

Storm Water Manager's Resource Center: http://www.stormwatercenter.net

Pennsylvania Department of Environmental Protection: http://www.dep.state.pa.us

